

Shipper: MaxPlus PharmaPack SP (SKU # 1RPPF36-6)

Products: Specialty Pharmacy Products (2-8°C)


Materials Needed: MaxPlus PharmaPack Shipper, Coolant NI-W8L10 (x4)

Phase Change Coolant:

- NI-W8L10 (x4) (7.5" x 10.25" x 1.5")



Packaging Assembly Illustration (Summer):



Coolant Pre-conditioning for Summer Transport:

- 2 x NI-W8L10 (White pouch with Blue marking - Nordic Ice) stored in the freezer (below -10°C) for a minimum of 24 hours

- 2 x NI-W8L10 (White pouch with Blue marking – Nordic Ice) stored in the refrigerator (2-8°C) for a minimum of 24 hours

To pack the shipper, take out all frozen coolants from the freezer and condition them laying flat on a benchtop for 30 minutes at room temperature.

Note: *Make sure that the frozen coolant pouches are frozen solid before removing them from the freezer. Don't stack the pouches on top of each other on the benchtop.*

Pack-out Instructions for Summer Transport:

Step 1: Open the lid of the flexible insulation and insert one frozen Coolant NI-W8L10 pouch (white/blue) into the PharmaPack.

Step 2: Insert one refrigerated Coolant NI-W8L10 pouch (white/blue) on top of the frozen coolant.


Step 3: Insert the payload on top of the refrigerated Coolant pouch.

Step 4: Insert the second refrigerated Coolant NI-W8L10 on top of the payload.

Step 5: Place the last frozen Coolant NI-W8L10 pouch on top of the refrigerated coolant.

Step 6: Close the lid and use packaging tape to seal the box.

Packaging Assembly Illustration (Winter):



Coolant Pre-conditioning for Winter Transport:

- 1 x Coolant NI-W8L10 (White pouch with Blue marking – Nordic Ice) stored in the freezer (below -10°C) for a minimum of 24 hours
- 3 x Coolant NI-W8L10 pouches (White with Blue marking- Nordic Ice) stored in the refrigerator (between from 2°C to 8°C) for a minimum of 24 hours

To pack the shipper, take out all frozen coolants from the freezer and condition them laying flat on a benchtop for 30 minutes at room temperature.

Note: Make sure that the frozen coolant pouches are frozen solid before removing them from the freezer. Don't stack the pouches on top of each other on the benchtop.

Pack-out Instructions for Winter Transport:

Step 1: Open the lid of the flexible insulation and insert one refrigerated Coolant NI-W8L10 pouch (white/blue) into the shipper.

Step 2: Insert one refrigerated Coolant NI-W8L10 pouch (white/blue) on top of the refrigerated Coolant NI-W8L10 .

Step 3: Insert the payload on top of the refrigerated Coolant NI-W8L10 pouch.

Step 4: Insert the second refrigerated Coolant NI-W8L10 on top of the payload.

Step 5: Place the last frozen Coolant NI-W8L10 pouch on top of the second Coolant NI-W8L10 pouch.

Step 6: Close the lid and use packaging tape to seal the box.